

Parallels[®] Plesk Panel

Provider's Guide

Customizing Extras in PPP 9.5 License Keys

Parallels Plesk Panel 9.5

Contents

| | |
|--|----------|
| Preface | 3 |
| <hr/> | |
| Typographical Conventions | 3 |
| Feedback | 4 |
| About This Document | 5 |
| <hr/> | |
| Features You Can Turn On/Off | 6 |
| <hr/> | |
| How To Turn On/Off Feature | 8 |
| <hr/> | |
| Turn On/Off Feature Through Web-based User Interface | 9 |
| Turn Off Feature Through Partner API..... | 9 |

Preface

In this section:

| | |
|---------------------------------|---|
| Typographical Conventions | 3 |
| Feedback | 4 |

Typographical Conventions

Before you start using this guide, it is important to understand the documentation conventions used in it.

The following kinds of formatting in the text identify special information.

| Formatting convention | Type of Information | Example |
|-----------------------|---|---|
| Special Bold | Items you must select, such as menu options, command buttons, or items in a list. | Go to the System tab. |
| | Titles of chapters, sections, and subsections. | Read the Basic Administration chapter. |
| <i>Italics</i> | Used to emphasize the importance of a point, to introduce a term or to designate a command line placeholder, which is to be replaced with a real name or value. | The system supports the so called <i>wildcard character</i> search. |
| Monospace | The names of commands, files, and directories. | The license file is located in the http://docs/common/licenses directory. |

| Formatting convention | Type of Information | Example |
|--------------------------|---|--|
| Preformatted | On-screen computer output in your command-line sessions; source code in XML, C++, or other programming languages. | <pre># ls -al /files total 14470</pre> |
| Preformatted Bold | What you type, contrasted with on-screen computer output. | <pre># cd /root/rpms/php</pre> |
| CAPITALS | Names of keys on the keyboard. | SHIFT, CTRL, ALT |
| KEY+KEY | Key combinations for which the user must press and hold down one key and then press another. | CTRL+P, ALT+F4 |

Feedback

If you have found an error in this guide, or if you have suggestions or ideas on how to improve this guide, please send your feedback using the online form at <http://www.parallels.com/en/support/usersdoc/>. Please include in your report the guide's title, chapter and section titles, and the fragment of text in which you have found an error.

About This Document

This document is addressed to Parallels partners who wish to turn off and on various Parallels Plesk Panel extras. This can be accomplished by modifying the license key and applying it to the desired installations. In this document, you will find the list of features that can be toggled, and instructions on how to perform these modifications.

We suppose that readers of this document have access to the Key Administrator web-based management interface or Partner API. If you do not have access to either of them and want to adjust the Parallels Plesk Panel feature set, please contact your sales representative.

Hereafter in this document, we will refer to Parallels Plesk Panel features as features for simplicity.

Features You Can Turn On/Off

The following table summarizes information about the features you can turn on/off in a license. It contains a feature name and impact to Parallels Plesk Panel when the feature is turned off.

| Name | Impact When Turned Off |
|--------------------------------------|---|
| Google Tools | <p>Hides the following Google Services for Websites controls:</p> <p>For Administrator, resellers and clients:</p> <ul style="list-style-type: none"> ▪ Home > Google Services for Websites button <p>For Administrator:</p> <ul style="list-style-type: none"> ▪ Settings > Settings of Google Services for Websites button |
| Extras (MPC) Buttons | <p>Hides the MyPlesk.com services group.</p> <p>For Administrator and resellers:</p> <ul style="list-style-type: none"> ▪ Home > Additional Tools > SSL Certificates > Add SSL Certificate > Buy SSL Certificate button <p>For Administrator, resellers and clients:</p> <ul style="list-style-type: none"> ▪ Home > Tools from MyPlesk.Com |
| Store Button | <p>Hides the Plesk Partner Products button on Administrator's Home, Settings and Modules pages.</p> |
| Parallels Virtuozzo Containers Promo | <p>Hides the following promotional information about Virtuozzo Containers:</p> <ul style="list-style-type: none"> ▪ Icon and promotion text in the left navigation and top frame ▪ Promotion in the Product news block - a collapsible block on user's start pages, whatever a start page is: Desktop, Home etc. ▪ Virtuozzo Logotype in the bottom-right corner of the server and domain Home pages |

| | |
|-------------------------------------|---------------------------------|
| Parallels Plesk Additional Services | Hides all options listed above. |
|-------------------------------------|---------------------------------|

How To Turn On/Off Feature

This chapter explains how to turn on/off a particular feature in a new or existing license. All the features that support this operation are turned on by default.

Please note that you can update only one license at a time through the web-based user interface. If you need to update several licenses, please use the Partner API or contact your sales representative.



Important: Once you have turned off a feature through the Partner API, there are no documented methods to turn it back on. If you need to perform this reverse operation, please use the web-based user interface, or contact your sales representative.

In this chapter:

| | |
|---|---|
| Turn On/Off Feature Through Web-based User Interface..... | 9 |
| Turn Off Feature Through Partner API | 9 |

Turn On/Off Feature Through Web-based User Interface

You can turn off the listed earlier features through the KA web-based user interface by adding them to your license. The features reside in the *Parallels Panel Extras* group.

- To turn off required features for a *new license*, start the New Key wizard () and add the features at step three, the feature management.
- To turn off required features for an *existing license*, start the Key Upgrade wizard () and add the features at step two, the feature management.

To turn on a license feature, detach it from the license.

For details on managing license features, please see the **KA Client User Guide**, Chapter **Managing Keys**.

Turn Off Feature Through Partner API

To turn off the listed earlier features in new or existing licenses by means of Partner API, run the appropriate API method with specific feature API identifiers set. Please find the API identifiers in the Table 1 below.

For new licenses:

Add API identifiers of the required features to the “array of identifiers of upgrade plans” parameter of method `partner10.createKey` and execute it.

For details on the method specification, please see:

<http://www.parallels.com/ptn/documentation/ka/>, section **Specifications of Methods / partner10.createKey**

For existing licenses:

Add API identifiers of the required features to the “upgrade plan name” parameter if method `partner10.upgradeKey` method and execute it.

For details on the method specification, please see:

<http://www.parallels.com/ptn/documentation/ka/>, section **Specifications of Methods / partner10.upgradeKey**

Table 1. Feature API identifiers

| Name | API Identifier |
|--------------------------------------|---------------------------|
| Google Tools | DISABLE_GOOGLE_TOOLS |
| Extras (MPC) Buttons | EXTRAS_BUTTONS_OFF |
| Store Button | STORE_BUTTON_OFF |
| Parallels Virtuozzo Containers Promo | VIRTUOZZO_PROMO_OFF |
| Parallels Plesk Additional Services | PLESK_SWSOFT_SERVICES_OFF |